


3F Trittico

Dynamic light under one guide

3F Filippi



Index

04_3F Trittico

06_Screens and finishes

12_Product advantages

3F Trittico

A suspension system with an essential design: the three arms, two for direct lighting and one for indirect lighting, can rotate perpendicularly to the support rod to provide the best possible lighting according to the activity being carried out and the position of the furniture.

The luminaire can therefore be and adapt to changes in interior layout.



/SCREENS and finishes






DYNAMIC light, always.

The structure, available in two finishes, is made up of aluminium arms and steel beams.

The lighting elements are fitted with LED sources and the special lens design minimises glare.

The Corner
Milan, Italy

3F Trittico
3000K
CRI>80
IP40





The **STRUCTURE** of light.

3F Trittico is available in an opaque black or white finish with aluminium arms and a steel support rod.


Indirect light is filtered by a translucent PMMA diffuser, while the desktop version diffuses light through a satinised extruded PMMA lens designed to minimise glare.

/product **ADVANTAGES**



Milan Design Week
Milan, Italy

3F Trittico
3000K
CRI>80
IP40






SEVERAL SOURCES, one light.

3F Trittico combines direct and indirect light in a versatile hybrid synergy.

A hybrid optic with extruded lens and anti-glare filter is combined with direct light.

Indirect light is combined with a flat translucent polycarbonate filter.





TECHNIQUE and AESTHETIC

The three arms of the luminaire can rotate perpendicularly to the support rod to provide the best lighting according to the activity in the room and the arrangement of the furniture.

The excellence of the light is combined with the elegance of the shape.


3F Trittico makes the technical details its distinctive aesthetic elements, becoming the star of the room where light and architecture become one.


BRANCHES of light

3F Trittico, thanks to its independently adjustable arms, is able to fill the space and cover a larger surface with light than any other lighting product.

Whether in environments with computer screens, meeting rooms, offices or even architectural environments, representations, etc., the life of the lighting modules is guaranteed at 80% of their efficiency after 100,000 hours of use.







Our **CASE HISTORY.**



The data in this brochure is indicative and we invite you to visit our websites **3f-filippi.com** and **targetti.com** or contact our sales network for updates.

The **3F Filippi | Targetti Group**, constantly committed to improving its products, reserves the right to modify the technical characteristics of the products illustrated and the contents of this publication without prior notice.



For further information about 3F Trittico and other
products/applications 3F Filippi visit the site
www.3f-filippi.en/download/brochure



/Contacts